

# NEW DUCATO

## PASSENGER TRANSPORT

---



TECHNICAL SPECIFICATIONS AND MAIN EQUIPMENT


---



Engine	110 MultiJet II	130 MultiJet II	150 MultiJet II	180 MultiJet
No. of cylinders, layout	4, in line	4, in line	4, in line	4, in line
Displacement (cm³)	2287	2287	2287	2999
Compression ratio	16.2:1	16.2:1	16.2:1	17.5:1
EC max. power: kW (HP) rpm	82 (110) 3600	96 (130) 3600	109 (148) 3600	130 (177) 3500
EC max. torque: Nm (kgm) rpm	300 (30.6) 1800	320 (32.6) 1800	350 (35.7) 1500	400 (40.8) 1400
Emissions level	Euro 5+	Euro 5+	Euro 5+	Euro 5+
Timing system (control)	DOHC (toothed belt)	DOHC (toothed belt)	DOHC (toothed belt)	DOHC (chain)
Supply	electronically controlled Common Rail MultiJet II direct injection with turbocharger and intercooler	electronically controlled Common Rail MultiJet II direct injection with turbo and intercooler	electronically controlled Common Rail MultiJet II direct injection with variable geometry turbocharger and intercooler	electronically controlled Common Rail MultiJet direct injection with variable geometry turbocharger and intercooler
Ignition	by compression	by compression	by compression	by compression
<b>Transmission</b>				
Drive	front	front	front	front
Clutch	dry, single plate with hydraulic release device	dry, single plate with hydraulic disengagement device dry, single plate with electro-hydraulic activation (Comfort-Matic)	dry, single plate with hydraulic disengagement device dry, single plate with electro-hydraulic activation (Comfort-Matic)	dry, single plate with hydraulic disengagement device dry, single plate with electro-hydraulic activation (Comfort-Matic)
Gearbox: no. of gears	manual 6+R	manual 6+R Comfort-Matic 6+R with electronically controlled electro-hydraulic control system	manual 6+R Comfort-Matic 6+R with electronically controlled electro-hydraulic control system	manual 6+R Comfort-Matic 6+R with electronically controlled electro-hydraulic control system
Gearbox ratios	Manual	Manual	Comfort-Matic	Comfort-Matic MAXI
Reduction ratios 1 <sup>st</sup>	3.727: 1	3.727: 1	4.167: 1	4.167: 1
2 <sup>nd</sup>	1.952: 1	1.952: 1	2.350: 1	2.350: 1
3 <sup>rd</sup>	1.290: 1	1.290: 1	1.462: 1	1.462: 1
4 <sup>th</sup>	0.875: 1	0.875: 1	0.955: 1	0.955: 1
5 <sup>th</sup>	0.673: 1	0.673: 1	0.695: 1	0.695: 1
6 <sup>th</sup>	0.585: 1	0.585: 1	0.552: 1	0.552: 1
R	3.154: 1	3.154: 1	4.083: 1	4.083: 1
Final drive ratio	4.933: 1 (74/15)	4.933: 1 (74/15) 5.231: 1 (68/13) Maxi	4.222: 1 (76/18)	4.563: 1 (73/16)
<b>Steering</b>				
Type	rack and pinion, variable power-assisted (Servotronic)	rack and pinion, variable power-assisted (Servotronic)	rack and pinion, variable power-assisted (Servotronic)	rack and pinion, variable power-assisted (Servotronic)
Turning circle (kerb-to-kerb)	Short wheelbase 11.4 m – Medium wheelbase 12.8 m – Medium-long wheelbase 13.9 m – Long wheelbase 14.4 m			
<b>Braking system - D (disc)</b>				
Type	dual H-I circuit; front and rear disc brakes. ABS and Electronic Brake force Distribution (EBD)			
Front: Ø mm	D 280 self-ventilating	D 280 self-ventilating / D 300 self-ventilating Maxi	D 280 self-ventilating / D 300 self-ventilating Maxi	D 280 self-ventilating / D 300 self-ventilating Maxi
Rear: Ø mm	D 280	D 280	D 280	D 280
Brake servo: Ø	11"	11"	11"	11"
<b>Suspension</b>				
Front	independent, MacPherson type with wishbones, coil springs,		telescopic shock absorbers and anti-roll bar	
Rear	rigid tubular axle type with parabolic longitudinal leaf springs,		telescopic shock absorbers, flexible side buffers	
Maximum permitted load on the front axle (kg)	3000 kg: 1630 kg – 3300 kg: 1750 kg 3500 kg: 1850 kg 3500 kg	3000 kg: 1630 kg – 3300 kg: 1750 kg – 3500 kg: 1850 kg 3500 kg MAXI: 2100 kg	3000 kg: 1630 kg – 3300 kg: 1750-1850 kg – 3500 kg: 1850 kg 3500 kg MAXI: 2100 kg	3000 kg: 1630 kg – 3300 kg: 1750 – 1850 kg 3500 kg: 1850 kg – 3500 kg MAXI: 2100 kg
Maximum permitted load on the rear axle (kg)	3000 kg: 1650 kg – 3300 kg: 1900 kg 3500 kg: 2000 kg 3500 kg	3000 kg: 1650 kg – 3300 kg: 1900 kg – 3500 kg: 2000 kg 3500 kg MAXI: 2400 kg	3000 kg: 1650 kg – 3300 kg: 1900 kg – 3500 kg: 2000 kg 3500 kg MAXI: 2400 kg	3000 kg: 1650 kg – 3300 kg: 1900 kg – 3500 kg: 2000 kg 3500 kg MAXI: 2400 kg
<b>Wheels</b>				
Tyres	215/70 R 15 C	(225/70 R 15 C, 215/75 R 16 C, 225/75 R 16 C optional)	Maxi: 215/75 R 16 C on 3500 kg - 225/75 R 16 C (opt. on 3500 kg Maxi)	
<b>Electrical system (12 V)</b>				
Battery capacity (Ah)	95 Ah 110 Ah with boosted battery	95 Ah 110 Ah with boosted battery	95 Ah 110 Ah with boosted battery	110 Ah
Alternator (A)	100 A, 120 A with climate control, 150 A with opt. more powerful alternator	110 A, 140 A with climate control, 180 A with opt. more powerful alternator	110 A, 140 A with climate control, 180 A with opt. more powerful alternator	110 A, 140 A with climate control, 180 A with opt. more powerful alternator
<b>Weights and Capacities</b>				
Max. towable weight (braked) (kg)	2500	2500 - 3000*	2500 - 3000*	2500 - 3000*
Fuel tank capacity (litres)	90 (opt. 60-120)	90 (opt. 60-120)	90 (opt. 60-120)	90 (opt. 60-120)
<b>Performance</b>				
Top speed <sup>E</sup> (MPH)	96	96	100	106
NEDC consumption (l/100 km)	6.4	6.4 - 6.2▼	6.4 - 6.2▼	7.7
*NEDC CO <sub>2</sub> emissions (mpg)	44,1	44.1 - 45.6	44.1 - 45.6	36,7
NEDC CO <sub>2</sub> emissions (g/km)	170	170 - 186	183 - 186	209 - 236

\*MAXI 3500 kg ▲ Min. and max. values depending on model and version ▼ With opt. Start&Stop


# COMBI




Dimensions mm	Combi 3000 kg	Combi 3300 kg
Wheelbase	3000	3000
Maximum length	4963	4963
Maximum width	2050	2050
Front track	1810	1810
Rear track	1790	1790
H Maximum height (unladen)	2254	2254
Front overhang	948	948
Rear overhang	1015	1015
<b>Rear door</b>		
Width	1562	1562
Height	1520	1520
<b>Side door</b>		
Width	1075	1075
Height	1485	1485
<b>Load compartment</b>		
Maximum length	1716 (5/6 seats) - 816 (8/9 seats)	1716 (5/6 seats) - 816 (8/9 seats)
Maximum width	1860	1860
Width between wheel arches	1254	1254
Maximum height	1515	1515

Wheelbase 3000 mm	Combi 3000 kg				Combi 3300 kg			
	110 MultiJet	130 MultiJet	150 MultiJet	180 MultiJet	110 MultiJet	130 MultiJet	150 MultiJet	180 MultiJet
Engine versions	110 MultiJet	130 MultiJet	150 MultiJet	180 MultiJet	110 MultiJet	130 MultiJet	150 MultiJet	180 MultiJet
Vehicle weight <sup>▲</sup> (tare) (kg)	1950	1950	1950	2030	1950	1950	1950	2030
	1050	1050	1050	970	1350	1350	1350	1270
Payload including driver (kg)	5 seats + 710 kg; 5 seats + 710 kg; 5 seats + 710 kg; 5 seats + 630 kg				5 seats + 1010 kg; 5 seats + 1010 kg; 5 seats + 1010 kg; 5 seats + 930 kg			
	9 seats + 438 kg; 9 seats + 438 kg; 9 seats + 438 kg; 9 seats + 358 kg				9 seats + 738 kg; 9 seats + 738 kg; 9 seats + 738 kg; 9 seats + 658 kg			
GVW (kg)	3000	3000	3000	3000	3300	3300	3300	3300
Top speed (MPH)	96	96	100	106	96	96	100	106
NEDC consumption (l/100 km)	6,5	6.3*/6.5	6.3*/6.5	7,6	6,5	6.3*/6.5	6.3*/6.5	7,6
NEDC consumption (mpg)	43,5	44.8*/43.5	44.8*/43.5	37,2	43,5	44.8*/43.5	44.8*/43.5	37,2
NEDC CO <sub>2</sub> emissions (g/km)	170	164*/170	164*/170	200	170	164*/170	164*/170	200

▲ Kerb weight with supplies, spare wheel, tools and accessories \* With opt. Start&Stop




# COMBI SEMIGLAZED




Dimensions mm	Combi 3000 kg Semiglazed	Combi 3300 kg Semiglazed
Wheelbase	3000	3000
Maximum length	4963	4963
Maximum width	2050	2050
Front track	1810	1810
Rear track	1790	1790
H Maximum height (unladen)	2254	2254
Front overhang	948	948
Rear overhang	1015	1015
<b>Rear door</b>		
Width	1562	1562
Height	1520	1520
<b>Side door</b>		
Width	1075	1075
Height	1485	1485
<b>Load compartment</b>		
Maximum length	1716 (5/6 seats)	1716 (5/6 seats)
Maximum width	1860	1860
Width between wheel arches	1422	1422
Maximum height	1515	1515

Wheelbase 3000 mm	Combi 3000 kg Semiglazed				Combi 3300 kg Semiglazed			
	110 MultiJet	130 MultiJet	150 MultiJet	180 MultiJet	110 MultiJet	130 MultiJet	150 MultiJet	180 MultiJet
Engine versions	110 MultiJet	130 MultiJet	150 MultiJet	180 MultiJet	110 MultiJet	130 MultiJet	150 MultiJet	180 MultiJet
Vehicle weight <sup>▲</sup> (tare) (kg)	1950	1950	1950	2030	1950	1950	1950	2030
	1050	1050	1050	970	1350	1350	1350	1270
Payload including driver (kg)	5 seats + 710 kg; 5 seats + 710 kg; 5 seats + 710 kg; 5 seats + 630 kg				5 seats + 1010 kg; 5 seats + 1010 kg; 5 seats + 1010 kg; 5 seats + 930 kg			
GVW (kg)	3000	3000	3000	3000	3300	3300	3300	3300
Top speed (MPH)	96	96	100	106	96	96	100	106
NEDC consumption (l/100 km)	6,4	6.3*/6.5	6.3*/6.5	7,6	6,4	6.3*/6.5	6.3*/6.5	7,6
NEDC consumption (mpg)	44,1	44.8*/43.5	44.8*/43.5	37,2	44,1	44.8*/43.5	44.8*/43.5	37,2
NEDC CO <sub>2</sub> emissions (g/km)	166	164*/170	164*/170	200	166	164*/170	164*/170	200

▲ Kerb weight with supplies, spare wheel, tools and accessories F Including driver \* With opt Start&Stop




## COMBI HIGH - COMBI HIGH MAXI




Dimensions mm	Combi 33 High	Combi Maxi 35 High
<b>A</b> Wheelbase	3450	3450
<b>B</b> Maximum length	5413	5413
Maximum width	2050	2050
Front track	1810	1810
Rear track	1790	1790
<b>H</b> Maximum height (unladen)	2524	2524
Front overhang	948	948
Rear overhang	1015	1015
<b>Rear door</b>		
Width	1562	1562
Height	1790	1790
<b>Side door</b>		
Width	1250	1250
Height	1755	1755
<b>Load compartment</b>		
Maximum length	2159 (5/6 seats) - 1259 (8/9 seats)	2159 (5/6 seats) - 1259 (8/9 seats)
Maximum width	1860	1860
Width between wheel arches	1254	1254
Maximum height	1788	1788
<b>M</b> Height of load threshold (unladen)		

Wheelbase 3450 mm	Combi 3300 kg High				Combi Maxi 3500 kg High			
Engine versions	110 MultiJet	130 MultiJet	150 MultiJet	180 MultiJet	130 MultiJet	150 MultiJet	180 MultiJet	
Vehicle weight <sup>▲</sup> (tare) (kg)	2060	2060	2060	2140	2100	2100	2180	
	1240	1240	1240	1160	1400	1400	1320	
Payload including driver (kg)	5 seats + 900 kg	5 seats + 900 kg	5 seats + 900 kg	5 seats + 820 kg	5 seats + 1060 kg	5 seats + 1060 kg	5 seats + 980 kg	
	9 seats + 628 kg	9 seats + 628 kg	9 seats + 628 kg	9 seats + 548 kg	9 seats + 788 kg	9 seats + 788 kg	9 seats + 708 kg	
GVW (kg)	3300	3300	3300	3300	3500	3500	3500	
Top speed (MPH)	93	93	96	103	93	96	99	
NEDC consumption (l/100 km)	6,8	6,6*/6,8	6,6*/6,8	8	6,6*/6,8	6,6*/6,8	8,5	
NEDC consumption (mpg)	41,5	42,8*/41,5	42,8*/41,5	35,3	42,8*/41,5	42,8*/41,5	33,2	
NEDC CO <sub>2</sub> emissions (g/km)	177	172*/177	172*/177	210	172*/177	172*/177	223	



■ Variable in accordance with seat layout    ▲ Kerb weight with supplies, spare wheel, tools and accessories  
\* With opt. Start&Stop


## COMBI HIGH SEMIGLAZED - COMBI HIGH MAXI SEMIGLAZED



Dimensions mm	Combi 3300 kg High Semiglazed	Combi Maxi 3500 kg High Semiglazed
Wheelbase	3450	3450
Maximum length	5413	5413
Maximum width	2050	2050
Front track	1810	1810
Rear track	1790	1790
<b>H</b> Maximum height (unladen)	2524	2524
Front overhang	948	948
Rear overhang	1015	1015
<b>Rear door</b>		
Width	1562	1562
Height	1790	1790
<b>Side door</b>		
Width	1250	1250
Height	1755	1755
<b>Load compartment</b>		
Maximum length	2159 (5/6 seats)	2159 (5/6 seats)
Maximum width	1860	1860
Width between wheel arches	1422	1422
Maximum height	1788	1788

Wheelbase 3450 mm	Combi 3300 kg High Semiglazed				Combi Maxi 3500 kg High Semiglazed			
Engine versions	110 MultiJet	130 MultiJet	150 MultiJet	180 MultiJet	130 MultiJet	150 MultiJet	180 MultiJet	
Vehicle weight <sup>▲</sup> (tare) (kg)	2060	2060	2060	2140	2100	2100	2180	
	1240	1240	1240	1160	1400	1400	1320	
Payload including driver (kg)	5 seats + 900 kg	5 seats + 900 kg	5 seats + 900 kg	5 seats + 820 kg	5 seats + 1060 kg	5 seats + 1060 kg	5 seats + 980 kg	
GVW (kg)	3300	3300	3300	3300	3500	3500	3500	
Top speed (MPH)	93	93	96	103	93	96	99	
NEDC consumption (l/100 km)	6,8	6,6*/6,8	6,6*/6,8	8	6,6*/6,8	6,6*/6,8	8,5	
NEDC consumption (mpg)	41,5	42,8*/41,5	42,8*/41,5	35,3	42,8*/41,5	42,8*/41,5	33,2	
NEDC CO <sub>2</sub> emissions (g/km)	177	172*/177	172*/177	210	172*/177	172*/177	223	

▲ Kerb weight with supplies, spare wheel, tools and accessories    \* With opt. Start&Stop





# STANDARD EQUIPMENT AND OPTIONS

Exterior	Combi / Semiglazed	
Halogen headlights with double parabolic lens		
Double-arm door mirrors with side repeater		
Glazed rear doors and sliding side door		
Heated rear window on 2-wing glazed rear doors		
Sliding windows 2nd window	644	
Fuel cap with lock and flap		
Integrated rear fog and reversing lights		
Green filter and water in diesel sensor		
Side protection mouldings (+ wheel arches for Maxi versions)		
Third brake light		
125-litre tank	4G9	•
Michelin Agilis "Green" tyres	4JE	•
Reflective windscreen	4G1	•
Painted handles	61A	•
Electric door mirrors + defrosting	041	
Privacy side windows	070	•
Comfort suspension	062	•
Double-leaf rear suspension	077	•
Fog lights	097	• / △
Headlight washer/wiper	102	•
Winter tyres (225/70 R15) and (225/75 16")	141	•
Alloy wheels with 225/70 R15 tyres	108	•
16" alloy wheels with 225/75 R16 tyres only for Maxi range	208	•
16" diamond-finish alloy wheels for Ducato range	431	•
M+S tyres	144	•
Rear splash guards	197	•
Metallic paintwork	210	•
Engine sump protection	237	•
Electric folding door mirrors	341	•
Integrated hub caps	878	•
Retractable footboard, sliding side door side	553	•
Self-levelling suspension	555	•
Front splash guards	747	•
Rear footboard	75K	•
Tow hook setup	4HB	•
Fixed tow hook	6JA	•
Removable tow hook	960	•
Aluminium skid plate	ADL	• / △
Piano black skid plate	7GE	• / △
Body-coloured front bumpers (opt. 7P5 - 457 - 6DZ - 6WH - 4TU - 4TV)		•
LED DRLs on headlights	LM1	• / △
Hot stamping + piano black grille	MFM	•

Interior	Combi / Semiglazed	
Steering column with axial adjustment		
Height-adjustable driver's seat		
Multifunction dashboard with open compartments, cup holder and refrigerated box in presence of air conditioning		
Cab door panels with door and electric window controls		
Cup holder	4B0	
Compartment with lock	6ZQ	•
TOP level instrument panel	4GF	•
Adjustable passenger seat + armrest	297	
Two-seater passenger seat with 3-point central seat belt	293	
Foldable and removable 3-seater third row bench	965	•
Upholstered head restraints	188	•
Under-roof shelf (capucine)	835	•
Techno dashboard	6BL	
Elegant dashboard	6BG	-
Tablet holder	75Q	•
Seat casing	50E	•
Armrest and lumbar support for driver's seat	132	
Leather steering wheel and gear lever knob	320	•
Heated passenger seat	452	•
Heated driver's seat	453	•
Sprung driver's seat	640	•

## Functional / electrical equipment

Power steering (with Servotronic on 130, 150 and 180 Multijet)		
Display with digital clock and Trip computer		
Illuminated 12 V socket		
Heat-reflecting windows and electric front windows		
Speedometer, electronic rev counter		
Central locking with 3-button remote control		
Load compartment roof light		
Daylight device (DRL) - daytime running lights	692	
Heated rear window	029	
Engine oil level sensor	033	
Tachograph	650	•
Boosted battery (110 Ah)	782	•
Rain and dusk sensor	051	•
"Dead locking" safety locks	064	
Transformer socket and battery setup	081	•
Start&Stop (only on 130 and 150 Multijet)	5DE	•
Manual climate control	025	•
Automatic climate control	140	•
Rear seat climate control	204	•
Rear seat heater	267	• / - (Semiglazed)

■ = Standard • = Optional - = Not available △ = Mopar accessories

Functional / electrical equipment		Combi / Semiglazed
Automatic independent heater (Webasto)	133	•
Additional programmable independent heater (Webasto)	205	•
Perimeter anti-theft system	213	•
TPMS (Tyre Pressure Monitoring System)	365	
Comfort-Matic robotised automatic gearbox (N/A on 110 HP MultiJet)	407	•
Cruise Control	416	•
Speed limiter + Cruise Control (only for 130 and 150 MultiJet)	NHR	•
Rear parking sensors	508	•/△
Rear removable roof light	58F	•
Battery disconnecter	5QD	•
Traction+ with Hill Descent Control	941	•
More powerful alternator (180 A)	4WP	
Black headlight frame	5EM	
Rear door cargo net	51J	•
USB charging port	RS3	•
Smoker's kit	989	•

#### Safety

3-point seat belts with retractor for cab seats		
Height-adjustable head restraints for cab seats		
Driver airbag		
ESC (Electronic Stability Control) system with ABS, EBD, LAC (Load Adaptive Control), HBA, roll-over mitigation and Hill Holder	392	
LDWS (Lane Departure Warning System) + Signal and High Beam Recognition	41J	•
Dual passenger airbag	502	•
Single passenger airbag	CJ1	•
Front side bags + window bags	505	•
Normal size steel spare wheel	980	
Spare wheel winch	786	
Speed limiter (56 MPH / 90 km/h)	58E	•
Speed limiter (62 MPH / 100 km/h)	5BF	•

#### Audio / Telematics

Dashboard radio setup (cables)		
Radio aerial integrated with right door mirror	5AO	•
DAB radio aerial integrated with right door mirror	54Q	•
DAB radio aerial integrated with roof	6GD	•
Uconnect™ radio with 5" touchscreen, CD player, USB and AUX-in socket, steering wheel controls and Bluetooth®	6Q2	•
Uconnect™ DAB radio with 5" touchscreen, CD player, USB port and AUX-in socket, steering wheel controls and Bluetooth®	6Q3	•
Uconnect™ NAV radio with 5" touchscreen, built-in navigator, CD player, USB port and AUX-in socket, steering wheel controls and Bluetooth®	6Q8	•
Uconnect™ NAV DAB radio with 5" touchscreen, built-in navigator, CD player, USB port and AUX-in socket, steering wheel controls and Bluetooth®	6Q9	•

## SERVICES

### FIAT CUSTOMER BENEFITS

When you buy a new Fiat Professional Vehicle, you buy more than just a van. Behind every van we sell there is the reassurance of a whole range of customer benefits and services designed to ake the ownership of your Fiat as enjoyable, affordable and trouble free as possible.

#### 3 YEAR FIATCARE WARRANTY PACKAGE

All new Fiat vans come with this comprehensive package, which consists of the following:

#### 2 YEAR, UNLIMITED MILEAGE, MANUFACTURER WARRANTY

Any repairs required as a result of faulty materials or manufacture are carried out free of charge – both for parts and labour.

#### 3RD YEAR DEALER WARRANTY †

Any repairs required as a result of faulty materials or manufacture – either for parts or labour – are covered up to 120,000 miles (60,000 miles on passenger variants registered for hire & reward usage) from the date of first registration or the expiry of the 3rd year, whichever occurs first. The warranty is provided free of charge and is subject to conditions (full details are available from your Fiat Professional dealer).

#### 3 YEAR PAINTWORK WARRANTY

Any paintwork defects due to faulty materials or manufacture will be rectified free of charge during the first 3 years.

#### 8 YEAR ANTI PERFORATION WARRANTY

Subject to regular inspections being carried out, as detailed in the Fiat Services Booklet, any perforation of the bodywork due to corrosion will be repaired free of all parts and labour charges during the first 8 years.

#### 12 MONTHS' PART AND REPAIR GUARANTEE

All genuine Fiat parts are guaranteed for 12 months, or the duration of the prevailing warranty on the vehicle, as are repairs carried out by any Fiat Professional dealer using genuine parts.

#### FIXED SERVICE COSTS

All Fiat Professional dealers operate a "Menu Pricing" programme, which guarantees fixed service and replacement costs, with no hidden extras. The price you see is the price you'll pay, unless you have given your consent for further work to be carried out.

#### INFORMATION AND CUSTOMER SERVICE

A Universal Freephone number (00800 3428 0000\*) gives you access to our dedicated information and customer services facilities, providing you with details of Fiat Professional dealers offering additional services, such as extended workshop hours, Auto Clinic and Approved Bodyshop facilities. Fiat also believe it is important to stay in contact with you and will, subject to your agreement, telephone you from time to time to ensure that you are happy with your Fiat Professional vehicle and the service you receive from your dealer. You can also access information about Fiat products and services online on our comprehensive website at [www.fiatprofessional.co.uk](http://www.fiatprofessional.co.uk).

### CIAO FIAT

CIAO FIAT is the new freephone number for customers and prospective customers – 00800 3428 0000. CIAO FIAT provides you with access to all our products and services in the UK and can be used even when you are abroad (the number can be called from most countries in Europe). The call is free from land lines in the UK and all Europe (except Switzerland). Mobile network charges may vary depending on whom your contract is with.

### CIAO FIAT PROFESSIONAL MOBILE

A single number to feel special. Call 00.800.3428.0000 free from all over Europe\* to request: ROADSIDE ASSISTANCE, Ciao Fiat Professional Mobile is the original Fiat Professional application for all its customers. You can access a range of services and assistance at the touch of a finger, wherever you are. Search Fiat Professional Mobile on App Store and Google Play.

**CIAO FIAT**  
00 800 342 800 00  
Customer Service



## 3 YEARS' FIAT PROFESSIONAL ASSISTANCE SERVICE COVER

---

All new Fiats come with 3 years' Fiat Professional Assistance Service Cover, which includes Roadside Assistance. This service is provided on a free of charge basis and is available 24 hours a day, throughout the year. If you require the services which are provided, you should dial the Universal Freephone number 00800 3428 0000\*, which can be reached free of charge in the UK, and select option 1 \_ Roadside Assistance.

### **FIAT FINANCIAL SERVICES\*\***

Fiat Financial Services offers a comprehensive range of finance and insurance plans including traditional Hire Purchase, Lease Purchase, Finance Lease and Guaranteed Asset Protection Insurance. Please ask your Fiat dealer for more information. Written quotations available on request.

### **FIAT CONTRACT HIRE\*\*\***

Fiat Contract Hire provides hassle-free motoring for private and business customers \_ you benefit from low initial outlay, regular rentals and no worry about disposing of your vehicle at the end of the contract. More and more businesses are turning to Contract Hire as a simple, tax-efficient way of financing their fleet. Contract Hire allows the use of a vehicle for a pre-determined fixed period and cost (subject to mileage and conditions) and has many features and benefits that your Fiat dealer will be delighted to discuss with you. You can also include a full maintenance package within the monthly rental. For more information, please contact your Fiat dealer, or call 0844 5614611.

\* The Universal and UK Freephone number is free for most calls from landline and mobile phones. Calls from certain mobile phones and public telephones in some European countries may be charged according to the rates applied by the telephone operator.

† Only applicable to UK vehicles sourced through Fiat Group Automobiles UK Ltd.

\*\* Fiat Financial Services is a trading style of FGA Capital UK Ltd. FGA Capital UK Ltd is authorised and regulated by the Financial Conduct Authority for General Insurance. Credit available to anyone aged 18 or over, subject to status. A guarantee may be required. Written quotations are available from Fiat Financial Services, PO Box 4465, Slough, SL1 0RW.

\*\*\* Fiat Contract Hire is a trading style of FGA Contracts UK Limited which is an appointed representative of FGA Capital UK Limited. Contract Hire finance facilities are available subject to credit approval. Written quotations are available from Fiat Contract Hire, PO Box 4590, Slough, SL1 WU.

<b>Audio / Telematics</b>		<b>Combi / Semiglazed</b>
Rear-view camera (only for 6Q2, 6Q3, 6Q8 and 6Q9 radios)	316	•
Bluetooth® radio	7BY	■
Bluetooth® DAB radio	7BZ	•
Radio controls on steering wheel (only for 7BY and 7BZ radios)	245	■

### **Mopar accessories**

Front anti-turbulence deflectors		△
Bars and carriage		△
16" alloy wheels kit with Fiat logo for Light version		△
15" hub caps kit for Light version		△
16" hub caps kit for Light and Maxi versions		△
Tyre valve caps with Fiat logo		△
Key cover kit (13 subjects available)		△
Carpet mats with Ducato logo for 8- or 9-seater short wheelbase		△
Carpet mats with Ducato logo for 8- or 9-seater medium wheelbase		△
Seat covers for 8-seater Ducato Combi		△
Tyre valve caps with Fiat logo		△
Extractable tow hook		△
Fixed tow hook		△
13-pole wiring for tow hook		△
Front and rear rubber splash guards		△
Baby One Plus child restraint system (0-13 kg)		△
Forward facing platform for Isofix child restraint system		△
Junior child restraint system (15-36 kg) Junior child restraint system (15-36 kg)		△
Isofix child restraint system with reinforced body (0-18kg)		△
Additional head restraint for Isofix child restraint system		△
Rearward facing platform for Isofix child restraint system		△
Scout seat (5-36 kg)		△
Chrome-plated number plate holder		△
1 kg powder fire extinguisher		△
2 kg powder fire extinguisher		△
Anti-theft wheel bolts for 15" rims		△
Anti-theft wheel bolts for 16" rims		△
Protections for replacing a tyre		△
Tyre-repair canister		△
Extension with USB cable retractor for iPod and iPhone		△

■ = Standard    • = Optional    – = Not available    △ = Mopar accessories



Model specifications and options may vary due to certain market or legal requirements. The data contained in this publication are purely indicative. Fiat may change the models described in this publication at any time for reasons of a technical or commercial nature.  
Fiat Marketing 04.3.2203.52 - S - 09/2014 - Printed in Italy - Ciesse Printer Srl.  
Printed on chlorine-free paper.

[www.fiatprofessional.com](http://www.fiatprofessional.com)

